

7.1.2026.

Shri Santosh Pathi - Union
Shri - Sowdeep Revandkar

Sh Kiran Mashrom. Sm.
Sh. PT Punity Sm
Sh. Farizon
Sh. Anil Bhavle } It ONCC

The agent has submitted this as in the matter, copy of which is also given to union.

The Union has submitted that the workmen who does not have safety gear ^(PPE) would not be able to attend their respective duty.

The agent is advised to issue a letter to platform 1/c to issue the safety shoes to workmen who are in urgent need as there is stock as per inventory Record. Similarly the union is also advised to approach the respective platform installations and concern HR to issuing the safety shoes as HR (IR) ^{discrepancy} cancellation has reported availability of safety shoes as per Inventory Record.

The Union rep submitted that STP of NVIS-R, NQL low STP has not yet been commissioned. Therefore all human waste is dumped into ^{pond} and for this only the water for water purification plant is lifted.

Produced water condensing plant are not working at

The union says that they will not drink water until the STP will be made functional.

There is space shortage for keeping the perishable and non-perishable food items. which has not been ^{met} adequately.

The issue regarding the OT, the request submitted that the decision on this issue is awaited from Hqs and the same sent for adjudication.

Regarding the potable water, wherever the purification facility has not been ^{at this installation} provided as per standard norms/potable water standards. Until then the Bottled water should be continued as per the demand of unit and as per the last meeting submitted proceedings.

18.2.2026 - 16w.



(Santosh J. Patil)
PEU AS


S. B. Revankar
Dt. G. S. PEU
07.01.26


(K. B. MESHARAM)
SM (HR)-1R


(P. J. Pawar)
DGM (HR)


7/1/26


7/1/26

2KML

Santosh Kumar Mahur
Assistant Labour Commissioner (Central)
Government of India
Mumbai